



Natural Stone, Beautiful Home

Natural Stone for your Home

Stonework is timeless and will connect your home with its natural surroundings

www.thinstoneireland.ie

What is ThinStone

Here at our stone-yard in Westport, County Mayo we cut away the face from each piece of heavy stone to make **ThinStone**.

This is 100% natural stone, but now with a thickness of only one inch. This can then be fixed on directly to the wall like a heavy tile.

This direct fixing method and the lighter weight gives **ThinStone** many advantages and cost savings as against using heavy building stone with eight inch thickness.





How it Works







Advantages

- Fixes on directly so no support or wider foundations needed.
- More design flexibility on corner windows, bay windows, arches etc.
- Simplifies the details needed for the build.
- Works easily with ICF or external insulation.
- More light in to rooms as less depth of stone around windows.
- Ideal for retrofits, extensions or internal feature walls.
- Available in a range of limestone or sandstone.
- Supply and fit services nationwide from one company.





Ideal For

Housing Developments



Porches and Sunrooms

Housefronts


















Kilkenny Limestone

Creggaun Sandstone

Glenmore Limestone







Carraig Sandstone

Errisbeg Sandstone

Donegal Sandstone

Our Housefront Projects



Carraig Sandstone with Grey Pointing



Creggaun Sandstone with Grey Pointing



Glenmore Limestone Dry Build




Kilkenny Limestone with Grey Pointing



Carraig Sandstone with Grey Pointing

Our Porch Projects







Kilkenny Limestone with Grey Pointing



Carraig Sandstone with Grey Pointing



Creggaun Sandstone with Grey Pointing



Glenmore Limestone with Grey Pointing



Kilkenny Limestone with Grey Pointing



Kilkenny Limestone with Grey Pointing

Our Fireplaces & Feature Wall Projects



Carraig Sandstone with Grey Pointing



Kilkenny Limestone with Grey Pointing



Carraig Sandstone with Earth Pointing



Glenmore Limestone with Grey Pointing



Creggaun Sandstone with Earth Pointing



Technical Specifications

Stone Specifications

Stone	Туре	Thickness	Wt/sqm	Colour	Appearance	Absorption	Density
Creggaun	Sandstone	15-20 mm	33 kg	Beige / Light Brown	Rectangular	1.9 %	2.7
Carraig	Sandstone	25-30 mm	60 kg	Light brown / Light Grey	Random	1.8 %	2.6
Benbrack	Sandstone	25-30 mm	60 kg	Beige / Brown / Grey	Random	1.5 %	2.7
Errisbeg	Sandstone	15-20 mm	33 kg	Grey	Rectangular	1.9 %	2.6
Kilkenny	Limestone	25-30 mm	60 kg	Blue / Grey	Rectangular	0.11 %	2.7
Glenmore	Limestone	15-20 mm	34 kg	Blue / Grey	Rectangular	0.09 %	2.6

Adhesive Specifications

Manufactured as a dry mix of high quality cement binder, aggregates and special composition of modifiers.

- CE certified CE 767 1614
- Initial bonding, i.e. > 1.5 N/mmC
- Adhesive classification: C2TES1

Find Your Local ThinStone Partner

Our network of stonemason partners covering all 32 counties



DENIS GARNHAM garnham.denis@gmail.con +44 7894 078834



BARRY MCGOURTY barry@thinstoneireland.ie

087 768 1541

Donega

KIERAN MURRAY kieran@thinstoneireland.ie

087 228 6786

Mid - Ulster CONOR PURVIS



conor@deerparkstone.com 077 4514 6876



Galway, Mayo and Roscommon

DARRAGH BAILEY darragh@thinstoneireland.ie 083 087 9357



Armagh, Down, Louth and Monaghan





Limerick / Clare **AARON GRIFFIN** aaron@thinstoneireland.ie 085 137 8108





Westmeath. Longford and Cavan

JOHN CARTER johncarter@thinstoneireland.ie 087 251 1183



JAMES HAMM iames@thinstoneireland.ie 087 644 2861







Kildare, Laois, **Dublin and** Carlow

MICK LANGTON mick@thinstoneireland.ie 087 705 6784



NIALL COLLINS nial@thinstoneireland.ie 086 340 1448



richard@thinstoneireland.ie 087 781 4923

LightStone for External Insulation or ICF Builds


What is LightStone?

LightStone is 100% natural stone cut down to a thickness of 15mm (a half inch approx). It is thus very lightwear and can fix on directly like a tile of natural stone.

So, it gives the same great stonework finish as traditional building stone but without the weight of the bulk.

LightStone is fixed directly to the base coat for ICF builds or those with external insulation.

For modular buildings or timber frame buildings, LightStone fixes directly to sheets of cement board.



Where can LightStone be used?

LightStone was developed for bonding directly to:

- External insulation
- ICF builds
- Modular buildings
- Timber frame buildings

Advantages:

- 100% natural Limestone/Sandstone
- 10-year stonework guarantee
- One stop shop... supply and fit stone
- Ex stock in 32 counties/Scotland
- Quick and easy installation
- No stone waste or chippings
- Tidy pallet delivery or 28 sq. metres







Guide Pricing and Turnaround Times

Pricing including all materials and stonemason's labour.



/approx/

incl. stone, adhesive, mortar and labour

This depends on the total area and also on the number of windows and corners.

TURNAROUND TIME

One week to one and a half weeks



/approx/

incl. stone, adhesive, mortar and labour

Everything included – labour, stone and clean-up.

TURNAROUND TIME

Three days



/approx/

incl. stone, adhesive, mortar and labour

Price includes mantle, stone as required, installation, stone sealing and clean up.

TURNAROUND TIME

Two days

Smaller projects, such as stonework behind a stove, can often be completed in **one day.**



/approx/

incl. stone, adhesive, mortar and labour

Based on a 30 metre wall that's 1m high. Price includes labour, stone and clean up.

TURNAROUND TIME

One week

Smaller projects can often be completed in one day.





Declan Conway Managing Director



Darragh BaileySales Manager

Visit our Showroom

Castlebar Road, Westport Co. Mayo, F28KD28

Company Reg No: 415542 VAT No: IE643 5542Q

ThinStone Ireland

087 1318881 (Darragh Bailey) stone@thinstoneireland.ie



@thinstoneireland

f /thinstoneeire

www.thinstoneireland.ie

